

CORRIGENDA

A clinical case definition of post COVID-19 condition by a Delphi consensus, 6 October 2021 (WHO/2019-nCoV/Post COVID-19 condition/Clinical case definition/2021.1)

Page 1, lines 21–28

Delete:

Post COVID-19 condition occurs in individuals with a history of probable or confirmed SARS-CoV-2 infection, usually occurring 3 months from the onset of COVID-19 with symptoms and lasting for at least 2 months, that cannot be explained by an alternative diagnosis. Common symptoms include fatigue, shortness of breath, cognitive dysfunction but also others (see Table 3 and Annexes 2) which generally have an impact on everyday functioning. Symptoms may be new onset, following initial recovery from an acute COVID-19 episode, or persist from the initial illness. Symptoms may also fluctuate or relapse over time. A separate definition may be applicable for children.

Insert:

Post COVID-19 condition occurs in individuals with a history of probable or confirmed SARS-CoV-2 infection, usually 3 months from the onset of COVID-19 with symptoms that last for at least 2 months and cannot be explained by an alternative diagnosis. Common symptoms include fatigue, shortness of breath, cognitive dysfunction but also others (see Table 3 and Annex 2) which generally have an impact on everyday functioning. Symptoms may be new onset, following initial recovery from an acute COVID-19 episode, or persist from the initial illness. Symptoms may also fluctuate or relapse over time. A separate definition may be applicable for children.

Page 11, lines 2–8

Delete:

Post COVID-19 condition occurs in individuals with a history of probable or confirmed SARS-CoV-2 infection, usually occurring 3 months from the onset of COVID-19 with symptoms and lasting for at least 2 months, that cannot be explained by an alternative diagnosis. Common symptoms include fatigue, shortness of breath, cognitive dysfunction but also others* and generally have an impact on everyday functioning. Symptoms may be new onset following initial recovery from an acute COVID-19 episode or persist from the initial illness. Symptoms may also fluctuate or relapse over time.

Insert:

Post COVID-19 condition occurs in individuals with a history of probable or confirmed SARS-CoV-2 infection, usually 3 months from the onset of COVID-19 with symptoms that last for at least 2 months and cannot be explained by an alternative diagnosis. Common symptoms include fatigue, shortness of breath, cognitive dysfunction but also others* and generally have an impact on everyday functioning. Symptoms may be new onset following initial recovery from an acute COVID-19 episode or persist from the initial illness. Symptoms may also fluctuate or relapse over time.

These corrections have been incorporated into the electronic file.